



NEC Projector Replacement Lamp VT85LP VT480 VT490 VT491 VT495 VT580 VT590 VT595 VT695

Our Product Introduction

for more products please visit us on projectorlamp-replacement.com


Basic Information

- Place of Origin: CHINA
- Brand Name: NSH
- Model Number: VT85LP
- Minimum Order Quantity: 1-1000
- Price: Negotiable
- Packaging Details: carton packing
- Delivery Time: 1-2 day
- Payment Terms: T/T, Western Union, Paypal
- Supply Ability: 5000 per



Product Specification

- Product Name: Projector Lamp
- Power: 200 W
- Voltage: 220 V
- Lamp Life: 3000-5000 Hours
- Warranty Period: 240 DAYS
- Lamp Type: OEM OBH OB CBH CB
- Highlight: NEC Projector Replacement Lamp, Vt85lp Replacement Lamp, Nec Vt695 Bulb



More Images



Product Description

VT85LP For NEC Projector Lamp VT480 VT490 VT491 VT495 VT580 VT590 VT595 VT695

Product Parameter

Part Numbers	VT85LP
Fittable projector models	For NEC Projector Lamp VT480 VT490 VT491 VT495 VT580 VT590 VT595 VT695
Bulb Type	200 W
Life time	3000 -5000(Hours)
Packing	Carton box with foam
Minimum Order quantity	10 piece

Power off the projector

When you're finished using the projector, properly power it off. Locate the power button on the projector or its remote control and press it to turn off the projector. Wait for the projector to shut down completely before disconnecting the power.

Product Information

The NEC VT85LP replacement lamps are compatible with VT480 VT490 VT491 projectors. The working hour time is: 3000-5000 hours. After replacing our new lamps, the projector performance can be the same as the new original one and improve the effect of projection, and make you feel comfortable while using.

Bulb warranty

Use Proper Tools: Prepare the necessary tools for the installation, such as a screwdriver or lamp removal tool, as specified in the user manual. Using the correct tools will ensure a secure and safe installation.

Access the Lamp Compartment: Locate the lamp compartment on your projector. The exact location may vary depending on the projector model. Usually, it is accessible from the top or bottom of the projector or through a side panel. Remove any screws or latches that secure the compartment.

Remove the Old Lamp: Carefully detach the old lamp by following the instructions provided in the user manual. In some cases, the lamp may be held in place by screws or clips. Gently release the lamp and disconnect any cables or connectors attached to it.

Install the New Lamp: Take the new lamp and align it correctly with the lamp housing. Make sure it fits securely and matches the connections of the previous lamp. Reconnect any cables or connectors that were disconnected during the removal process.



Guangzhou Crystal Light Electronic Products Co., Ltd.



18565159850



nancy@projectorlamp-replacement.com



projectorlamp-replacement.com

Guangzhou, China