



## NP16LP Projector Lamp For NEC M260WS M260XS M300W M300XS M350X M361x NP-M311W

### **Basic Information**

. Place of Origin: **CHINA** NSHA . Brand Name: NP16LP Model Number: Minimum Order Quantity: 1-1000 • Price: Negotiable Packaging Details: carton packing . Delivery Time:

• Payment Terms: T/T, Western Union, Paypal

1-2 day

• Supply Ability: 5000 per



## **Product Specification**

• Product Name: Projector Lamp

• Power: 210 W 220 V Voltage:

3000-5000 Hours . Lamp Life:

240 DAYS · Warranty Period:

• Lamp Type: OEM OBH OB CBH CB

• Highlight: Nec M300w Lamp, Nec M311w Lamp,

**NP16LP Projector Lamp** 



### More Images



### **Product Description**

# NP16LP For NEC Projector Lamp M260WS M260XS M300W M300XS M350X m361x NP-M311W

### **Product Parameter**

Part Numbers	NP16LP
Fittable projector	For NEC Projector Lamp M260WS M260XS M300W M300XS M350X m361x NP-M311W NP-
models	M361X NP-M361XG NP-M361XJL
Bulb Type	210 W
Life time	3000 -5000(Hours)
Packing	Carton box with foam
Minimum Order	10 piece
quantity	To piece

### Connect the video source

Connect one end of the cable to the video output port of the source device (such as a laptop or DVD player) and the other end to the corresponding input port on the projector.

### **Product Information**

The NEC NP16LP replacement lamps are compatiable with M260WS M260XS M300W projectors. The working hour time is:3000-5000 hours, After repalcing our new lamps, the projector performance can be the same of the new original one and improve the effect of projection, and make you feel comfortable while using.

### **Precautions**

Use Proper Tools: Prepare the necessary tools for the installation, such as a screwdriver or lamp removal tool, as specified in the user manual. Using the correct tools will ensure a secure and safe installation.

Remove the Old Lamp: Carefully detach the old lamp by following the instructions provided in the user manual. In some cases, the lamp may be held in place by screws or clips. Gently release the lamp and disconnect any cables or connectors attached to it.

Install the New Lamp: Take the new lamp and align it correctly with the lamp housing. Make sure it fits securely and matches the connections of the previous lamp. Reconnect any cables or connectors that were disconnected during the removal process.

Secure the Lamp Compartment: Once the new lamp is in place, secure the lamp compartment by reattaching any screws or latches that were removed earlier. Ensure that the compartment is sealed properly to prevent any dust or debris from entering.





**Guangzhou Crystal Light Electronic Products Co., Ltd.** 



18565159850



nancy@projectorlamp-replacement.com



projectorlamp-replacement.com

Guangzhou, China