



240W 5J.JGX05.001 BENQ Projector Bulb Replacement MH550

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: 5
- Minimum Order Quantity:
- Price: Ne
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 5J.JGX05.001 1-1000 Negotiable carton packing 1-2 day T/T, Western Union, Paypal 5000 per

CHINA UHP



Product Specification

- Product Name:
- Power:
- Voltage:
- Lamp Life:
- Warranty Period:
- Lamp Type:
- Highlight:

Projector Lamp
240 W
220 V
3000-5000 Hours
240 DAYS
OEM OBH OB CBH CB

Projector Bulb Replacement MH550, 5J.JGX05.001 BENQ Projector Lamp, 240W Projector Bulb Replacement



More Images



5J.JGX05.001 For BENQ Projector Lamp MH550

Product Parameter

Part Numbers	5J.JGX05.001
Fittable projector models	For BENQ Projector Lamp MH550
Bulb Type	240 W
Life time	3000 -5000(Hours)
Packing	Carton box with foam
Minimum Order quantity	10 piece

Product Information

The BENQ 5J.JGX05.001 replacement lamps are compatiable with MH550 projectors. The working hour time is:3000-5000 hours, After repalcing our new lamps, the projector performance can be the same of the new original one and improve the effect of projection, and make you feel comfortable while using.

Connect the video source

Common options include VGA, HDMI, or DisplayPort cables. Connect one end of the cable to the video output port of the source device (such as a laptop or DVD player), and use the appropriate cable to connect the video source to the projector based on your setup.

Bulb warranty

Refer to the User Manual: Consult the user manual provided by the projector manufacturer for specific instructions on lamp replacement. The manual will provide detailed information on the lamp type, installation procedure, and any additional precautions specific to your projector model.

Allow Lamp to Cool: Projector lamps generate heat during operation. It is crucial to allow the lamp to cool down completely before attempting to replace it. This prevents the risk of burns or damage to the new lamp.

Use Proper Tools: Prepare the necessary tools for the installation, such as a screwdriver or lamp removal tool, as specified in the user manual. Using the correct tools will ensure a secure and safe installation.

Access the Lamp Compartment: Locate the lamp compartment on your projector. The exact location may vary depending on the projector model. Usually, it is accessible from the top or bottom of the projector or through a side panel. Remove any screws or latches that secure the compartment.

Remove the Old Lamp: Carefully detach the old lamp by following the instructions provided in the user manual. In some cases, the lamp may be held in place by screws or clips. Gently release the lamp and disconnect any cables or connectors attached to it.

