



108-772 TITAN Projector Lamp DP WUXGA 3D 1080p-330-L WUXGA 330-

Basic Information

- Place of Origin:
- Brand Name: VIP
- Model Number: 108-772Minimum Order Quantity: 1-1000
- Price: Negotiable
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- ls: carton packing 1-2 day T/T, Western Union, Paypal 5000 per

CHINA



Product Specification

- Product Name:
- Power:
- Voltage:
- Lamp Life:
- Warranty Period:
- Lamp Type:
- Highlight:
- 350 W 220 V 3000-5000 Hours 240 DAYS OEM OBH OB CBH CB

Projector Lamp

108-772 Projector Lamp, Projector Lamp WUXGA 330-L, TITAN Projector Lamps Bulbs



More Images



108-772 For TITAN Projector Lamp DP WUXGA 3D 1080p-330-L WUXGA 330-L

Product Parameter

Part Numbers	108-772
Fittable projector models	For TITAN Projector Lamp DP WUXGA 3D 1080p-330-L WUXGA 330-L WUXGA 330-P 1080p-700 SX+700 1080P UC 1080P-3D UC sx+ 350 WUXGA 3D-P WUXGA 660
Bulb Type	350 W
Life time	3000 -5000(Hours)
Packing	Carton box with foam
Minimum Order quantity	10 piece

Product Information

The TITAN 108-772 replacement lamps are compatiable with WUXGA 330-L WUXGA 330-P 1080p-700 projectors. The working hour time is:3000-5000 hours, After repaicing our new lamps, the projector performance can be the same of the new original one and improve the effect of projection, and make you feel comfortable while using.

Turn off the power

Please turn off its power properly. After using the projector, find the power switch button on the projector or its remote control and press the power switch to turn off the projector. Please wait for the projector to shut down completely before disconnecting power.

Bulb warranty

Ensure Safety: Before starting the installation process, make sure the projector is turned off and has cooled down sufficiently. Unplug the projector from the power source to avoid any electrical accidents during the installation.

Refer to the User Manual: Consult the user manual provided by the projector manufacturer for specific instructions on lamp replacement. The manual will provide detailed information on the lamp type, installation procedure, and any additional precautions specific to your projector model.

Allow Lamp to Cool: Projector lamps generate heat during operation. It is crucial to allow the lamp to cool down completely before attempting to replace it. This prevents the risk of burns or damage to the new lamp.

Use Proper Tools: Prepare the necessary tools for the installation, such as a screwdriver or lamp removal tool, as specified in the user manual. Using the correct tools will ensure a secure and safe installation.

Access the Lamp Compartment: Locate the lamp compartment on your projector. The exact location may vary depending on the projector model. Usually, it is accessible from the top or bottom of the projector or through a side panel. Remove any screws or latches that secure the compartment.

