



PK-L2417U PK-L2417UW 4975769452215 Replacement JVC Projector Lamp LX-UH1

Our Product Introduction

for more products please visit us on projectorlamp-replacement.com

Basic Information

- Place of Origin: CHINA
- Brand Name: UHP
- Model Number: PK-L2417U PK-L2417UW 4975769452215
- Minimum Order Quantity: 1-1000
- Price: Negotiable
- Packaging Details: carton packing
- Delivery Time: 1-2 day
- Payment Terms: T/T, Western Union, Paypal
- Supply Ability: 5000 per



Product Specification

- Product Name: Projector Lamp
- Power: 245 W
- Voltage: 220 V
- Lamp Life: 3000-5000 Hours
- Warranty Period: 240 DAYS
- Lamp Type: OEM OBH OB CBH CB
- Highlight: PK-L2417U JVC Projector Lamp,
JVC Projector Lamp LX-UH1,
Jvc Projector Bulb Replacement



More Images



Product Description

PK-L2417U PK-L2417UW 4975769452215 For JVC Projector Lamp LX-UH1

Product Parameter

Part Numbers	PK-L2417U PK-L2417UW 4975769452215
Fittable projector models	For JVC Projector Lamp LX-UH1
Bulb Type	245 W
Life time	3000 -5000(Hours)
Packing	Carton box with foam
Minimum Order quantity	10 piece

Product Information

The JVC PK-L2417U PK-L2417UW 4975769452215 replacement lamps are compatible with LX-UH1 projectors. The working hour time is: 3000-5000 hours. After replacing our new lamps, the projector performance can be the same as the new original one and improve the effect of projection, and make you feel comfortable while using.

Disconnect

With the power turned off, you can disconnect the video source device from the projector by unplugging the cable at both ends.

Bulb warranty

Ensure Safety: Before starting the installation process, make sure the projector is turned off and has cooled down sufficiently. Unplug the projector from the power source to avoid any electrical accidents during the installation.

Refer to the User Manual: Consult the user manual provided by the projector manufacturer for specific instructions on lamp replacement. The manual will provide detailed information on the lamp type, installation procedure, and any additional precautions specific to your projector model.

Allow Lamp to Cool: Projector lamps generate heat during operation. It is crucial to allow the lamp to cool down completely before attempting to replace it. This prevents the risk of burns or damage to the new lamp.

Use Proper Tools: Prepare the necessary tools for the installation, such as a screwdriver or lamp removal tool, as specified in the user manual. Using the correct tools will ensure a secure and safe installation.

Access the Lamp Compartment: Locate the lamp compartment on your projector. The exact location may vary depending on the projector model. Usually, it is accessible from the top or bottom of the projector or through a side panel. Remove any screws or latches that secure the compartment.



Crystal Light Electronic



Crystal Light Electronic
www.projectorlamp-replacement.com



Guangzhou Crystal Light Electronic Products Co., Ltd.



18565159850



nancy@projectorlamp-replacement.com



projectorlamp-replacement.com

Guangzhou, China