



# 240W Stage Projector Bulb Replacement Suitable For 341297 341297

## **Basic Information**

- Place of Origin:
- Brand Name:
- Model Number: 341297Minimum Order Quantity: 1-1000
- Price: Neg
- Packaging Details:
- Delivery Time:
  - \_\_\_\_\_
- Payment Terms:

**Our Product Introduction** 

for more products please visit us on projectorlamp-replacement.com

Supply Ability:

1-1000
Negotiable
carton packing
1-2 day
T/T, Western Union, Paypal
5000 per

CHINA

UHP



## **Product Specification**

- Product Name:
- Power:
- Voltage:
- Lamp Life:
- Warranty Period:
- Lamp Type:
- Highlight:

Projector Lamp
240 W
220 V
3000-5000 Hours
240 DAYS
ОЕМ ОВН ОВ СВН СВ

Stage Projector Bulb Replacement, 240W Projector Bulb Replacement, Stage Projector Lamp Replacement



### More Images



#### **Product Parameter**

Part Numbers	341297
Fittable projector models	Suitable for stage projector lamp 341297
Bulb Type	240 W
Life time	3000-5000(Hours)
Packing	Carton box with foam
Minimum Order quantity	10 piece

#### **Product Information**

The Stage lights 341297 replacement lamps are compatiable with 341297 projectors. The working hour time is:3000-5000 hours, After repalcing our new lamps, the projector performance can be the same of the new original one and improve the effect of projection, and make you feel comfortable while using.

#### Disconnect the video source

After powering off the projector, disconnect the video source device from the projector by removing the cable from both ends.

#### **Bulb warranty**

Remove the Old Lamp: Carefully detach the old lamp by following the instructions provided in the user manual. In some cases, the lamp may be held in place by screws or clips. Gently release the lamp and disconnect any cables or connectors attached to it.

Install the New Lamp: Take the new lamp and align it correctly with the lamp housing. Make sure it fits securely and matches the connections of the previous lamp. Reconnect any cables or connectors that were disconnected during the removal process.

Secure the Lamp Compartment: Once the new lamp is in place, secure the lamp compartment by reattaching any screws or latches that were removed earlier. Ensure that the compartment is sealed properly to prevent any dust or debris from entering.

Reset Lamp Timer: After installing the new lamp, it is essential to reset the lamp timer on the projector. This step varies by projector model, so refer to the user manual for instructions on how to reset the lamp timer.

Test and Calibrate: Turn on the projector and verify that the new lamp is functioning correctly. If necessary, adjust the projector settings to optimize the image quality and brightness.

