



# OEM OBH OB CBH 55218 Stage Projector Lamp Replacement 440W 220V

## **Basic Information**

- Place of Origin:
- Brand Name: VIP
- Model Number: 55218
- Minimum Order Quantity: 1-
- Price: Neg
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

1-1000
Negotiable
carton packing
1-2 day
T/T, Western Union, Paypal
5000 per

CHINA



# **Product Specification**

- Product Name:
- Power:
- Voltage:
- Lamp Life:
- Warranty Period:
- Lamp Type:
- Highlight:

Projector Lamp
440 W
220 V
3000-4800 Hours
240 DAYS
OEM OBH OB CBH

55218 Stage Projector Lamp Replacement, Projector Lamp Replacement 440W, Stage Projector Light Bulb



### More Images



# 55218 Suitable for stage projector lamp 55218

### **Product Parameter**

Part Numbers	55218
Fittable projector models	Suitable for stage projector lamp 55218
Bulb Type	440 W
Life time	3000-4800(Hours)
Packing	Carton box with foam
Minimum Order quantity	10 piece

### **Product Information**

The Stage lights 55218 replacement lamps are compatiable with 55218 projectors. The working hour time is:3000-4800 hours, After repalcing our new lamps, the projector performance can be the same of the new original one and improve the effect of projection, and make you feel comfortable while using.

### Power off the projector

When you're finished using the projector, properly power it off. Locate the power button on the projector or its remote control and press it to turn off the projector. Wait for the projector to shut down completely before disconnecting the power.

### **Bulb warranty**

Remove the Old Lamp: Carefully detach the old lamp by following the instructions provided in the user manual. In some cases, the lamp may be held in place by screws or clips. Gently release the lamp and disconnect any cables or connectors attached to it.

Install the New Lamp: Take the new lamp and align it correctly with the lamp housing. Make sure it fits securely and matches the connections of the previous lamp. Reconnect any cables or connectors that were disconnected during the removal process.

Secure the Lamp Compartment: Once the new lamp is in place, secure the lamp compartment by reattaching any screws or latches that were removed earlier. Ensure that the compartment is sealed properly to prevent any dust or debris from entering.

Reset Lamp Timer: After installing the new lamp, it is essential to reset the lamp timer on the projector. This step varies by projector model, so refer to the user manual for instructions on how to reset the lamp timer.

Test and Calibrate: Turn on the projector and verify that the new lamp is functioning correctly. If necessary, adjust the projector settings to optimize the image quality and brightness.

