



140W Stage Projector Bulb Replacement Suitable For 54750 SIRIUS HRI RO

Basic Information

Place of Origin: CHINA
Brand Name: VIP
Model Number: 54750
Minimum Order Quantity: 1-1000
Price: Negotiable
Packaging Details: carton packing

• Delivery Time: 1-2 day

• Payment Terms: T/T, Western Union, Paypal

• Supply Ability: 5000 per



Product Specification

• Product Name: Projector Lamp

Power: 140 W Voltage: 220 V

Lamp Life: 3000-5000 HoursWarranty Period: 240 DAYS

Lamp Type: OEM OBH OB CBH CB
 Highlight: Osram Sirius Hri 140 W,

SIRIUS HRI RO Projector Bulb Replacement, Osram Projector Bulb Replacement



Product Description

54750 Suitable for stage projector lamp 54750 SIRIUS HRI RO

Product Parameter

Part Numbers	54750
Fittable projector models	Suitable for stage projector lamp 54750 SIRIUS HRI RO
Bulb Type	140 W
Life time	3000-5000(Hours)
Packing	Carton box with foam
Minimum Order quantity	10 piece

Product Information

The Stage lights 54750 replacement lamps are compatiable with 54750 SIRIUS HRI RO projectors. The working hour time is:3000-5000 hours, After repalcing our new lamps, the projector performance can be the same of the new original one and improve the effect of projection, and make you feel comfortable while using.

Cost-Effective

Projectors can offer a cost-effective solution for large-screen display compared to purchasing a large-sized TV or display. Projectors can provide a similar or even larger screen size at a lower cost, making them an economical choice, especially for home theaters or businesses on a budget.

Bulb warranty

Ensure Safety: Before starting the installation process, make sure the projector is turned off and has cooled down sufficiently. Unplug the projector from the power source to avoid any electrical accidents during the installation.

Refer to the User Manual: Consult the user manual provided by the projector manufacturer for specific instructions on lamp replacement. The manual will provide detailed information on the lamp type, installation procedure, and any additional precautions specific to your projector model.

Allow Lamp to Cool: Projector lamps generate heat during operation. It is crucial to allow the lamp to cool down completely before attempting to replace it. This prevents the risk of burns or damage to the new lamp.

Use Proper Tools: Prepare the necessary tools for the installation, such as a screwdriver or lamp removal tool, as specified in the user manual. Using the correct tools will ensure a secure and safe installation.





Guangzhou Crystal Light Electronic Products Co., Ltd.

18565159850

nancy@projectorlamp-replacement.com

projectorlamp-replacement.com

Guangzhou, China