



NP41LP 22040052 NEC Projector Lamp With Housing MC311 MC301X MC331X MC331W

Basic Information

Place of Origin: CHINABrand Name: UHP

Model Number: NP41LP 22040052

Minimum Order Quantity: 1-1000
Price: Negotiable
Packaging Details: carton packing

• Delivery Time: 1-2 day

• Payment Terms: T/T, Western Union, Paypal

• Supply Ability: 5000 per



Product Specification

Product Name: Projector Lamp

Power: 225 WVoltage: 220 V

• Lamp Life: 3000-5000 Hours

• Warranty Period: 240 DAYS

• Lamp Type: OEM OBH OB CBH CB

• Highlight: NEC Projector Lamp With Housing,

NP41LP Projector Lamp With Housing,

MC301X NEC Projector Lamp



More Images



NP41LP 22040052 For NEC Projector Lamp MC311 MC301X MC331X MC331W MC371X

Product Parameter

Part Numbers	NP41LP 22040052
models	For NEC Projector Lamp MC311 MC301X MC331X, MC331W, MC371X, M421X CR2165X CR2165W CR2155X CD2115X (NEC MC311 Gygar B40 EIKI EK-120U, EK120U, EK-121W, EK121W ds-5000u
Bulb Type	225 W
Life time	3000-5000(Hours)
Packing	Carton box with foam
Minimum Order quantity	10 piece

Product Information

The NEC NP41LP 22040052 replacement lamps are compatiable with MC311 MC301X MC331X projectors. The working hour time is:3000-5000 hours, After repalcing our new lamps, the projector performance can be the same of the new original one and improve the effect of projection, and make you feel comfortable while using.

Audio Features

Many projectors include built-in speakers to provide sound for multimedia content. However, the audio quality may vary, and external speakers or audio systems can be connected for a better audio experience.

Bulb warranty

Access the Lamp Compartment: Locate the lamp compartment on your projector. The exact location may vary depending on the projector model. Usually, it is accessible from the top or bottom of the projector or through a side panel. Remove any screws or latches that secure the compartment.

Remove the Old Lamp: Carefully detach the old lamp by following the instructions provided in the user manual. In some cases, the lamp may be held in place by screws or clips. Gently release the lamp and disconnect any cables or connectors attached to it.

Install the New Lamp: Take the new lamp and align it correctly with the lamp housing. Make sure it fits securely and matches the connections of the previous lamp. Reconnect any cables or connectors that were disconnected during the removal process.

Secure the Lamp Compartment: Once the new lamp is in place, secure the lamp compartment by reattaching any screws or latches that were removed earlier. Ensure that the compartment is sealed properly to prevent any dust or debris from entering.





Guangzhou Crystal Light Electronic Products Co., Ltd.

18565159850

ancy@projectorlamp-replacement.com

projectorlamp-replacement.com

Guangzhou, China