



6912B22008D DLT AJ-LDX3LG For LG Projector Lamp LG BX351A DX535 GX361A

Basic Information

Place of Origin: CHINABrand Name: NSHA

Model Number: 6912B22008D DLT AJ-LDX3LG

Minimum Order Quantity: 1-1000
Price: Negotiable
Packaging Details: carton packing

• Delivery Time: 1-2 day

• Payment Terms: T/T, Western Union, Paypal

• Supply Ability: 5000 per



Product Specification

Product Name: Projector Lamp

Power: 230 W Voltage: 220 V

• Lamp Life: 3000-5000 Hours

• Warranty Period: 240 DAYS

• Lamp Type: OEM OBH OB CBH CB

• Highlight: 220 v lg projector lamp, 230 w lg projector lamp,

220 v nec projector lamp



More Images



6912B22008D DLT AJ-LDX3LG For LG Projector Lamp LG BX351A DX535 GX361A

Product Parameter

Part Numbers	6912B22008D DLT AJ-LDX3LG
Fittable projector	For LG Projector Lamp LG BX351A DX535 GX361A
models	l of Earl Tojector Earlip Ea Brooth Brood artooth
Bulb Type	230 W
Life time	3000-5000(Hours)
Packing	Carton box with foam
Minimum Order	10 piece
quantity	l piece

Product Information

The LG 6912B22008D DLT AJ-LDX3LG replacement lamps are compatiable with BX351A DX535 GX361A projectors. The working hour time is:3000-5000 hours, After repalcing our new lamps, the projector performance can be the same of the new original one and improve the effect of projection, and make you feel comfortable while using.

Throw Distance and Screen Size

The throw distance refers to the distance between the projector and the screen, and it determines the size of the projected image. Different projectors have different throw distances and are suitable for varying room sizes and setups.

Bulb warranty

Install the New Lamp: Take the new lamp and align it correctly with the lamp housing. Make sure it fits securely and matches the connections of the previous lamp. Reconnect any cables or connectors that were disconnected during the removal process.

Secure the Lamp Compartment: Once the new lamp is in place, secure the lamp compartment by reattaching any screws or latches that were removed earlier. Ensure that the compartment is sealed properly to prevent any dust or debris from entering.

Reset Lamp Timer: After installing the new lamp, it is essential to reset the lamp timer on the projector. This step varies by projector model, so refer to the user manual for instructions on how to reset the lamp timer.

Test and Calibrate: Turn on the projector and verify that the new lamp is functioning correctly. If necessary, adjust the projector settings to optimize the image quality and brightness.





Guangzhou Crystal Light Electronic Products Co., Ltd.



18565159850



ancy@projectorlamp-replacement.com



projectorlamp-replacement.com

Guangzhou, China