



SP.70201GC01 SP.77011GC01 BL-FP210B Optoma Projector Lamp DEAEXHGZ HD27D

Basic Information

Place of Origin: CHINABrand Name: VIP

Model Number: SP.70201GC01 SP.77011GC01 BL-FP210B

Minimum Order Quantity: 1-1000
 Price: Negotiable
 Packaging Details: carton packing

• Delivery Time: 1-2 day

• Payment Terms: T/T, Western Union, Paypal

• Supply Ability: 5000 per



Product Specification

Product Name: Projector Lamp

Power: 210 WVoltage: 220 V

• Lamp Life: 3000-5000 Hours

• Warranty Period: 240 DAYS

• Lamp Type: OEM OBH OB CBH CB

Highlight: BL-FP210B Optoma Projector Lamp,
Optoma Projector Lamp HD27D.

Optoma Projector Lamp HD27D, Optoma Projector Bulb With Housing



More Images



SP.70201GC01 SP.77011GC01 BL-FP210B For Optoma Projector Lamp DEAEXHGZ HD27D

Product Parameter

Part Numbers	SP.70201GC01 SP.77011GC01 BL-FP210B
Fittable projector	For Optoma Projector Lamp DEAEXHGZ HD27D, HD27D, HD28DSE, HD28DSE DH1012
models	r or optoma r rojector eamp bettett raz riberb, riberb, ribebbee, ribebbee brirere
Bulb Type	210 W
Life time	3000-5000(Hours)
Packing	Carton box with foam
Minimum Order	10 piece
quantity	To piece

Product Information

The Optoma SP.70201GC01 SP.77011GC01 BL-FP210B replacement lamps are compatiable with HD27D HD28DSE projectors. The working hour time is:3000-5000 hours, After repalcing our new lamps, the projector performance can be the same of the new original one and improve the effect of projection, and make you feel comfortable while using.

After-sales service

The specifics of projector lamp after-sales service may vary from manufacturer to manufacturer. It is recommended to refer to the specific manufacturer's documentation or contact their customer support for accurate information on projector lamp after-sales service.

Bulb warranty

Most projector lamps come with a warranty. During the warranty period, if a bulb malfunctions or any defects are encountered, we will usually offer to replace or repair the bulb free of charge. Warranty duration varies by model.

Ensure Safety: Before starting the installation process, make sure the projector is turned off and has cooled down sufficiently. Unplug the projector from the power source to avoid any electrical accidents during the installation.

Allow Lamp to Cool: Projector lamps generate heat during operation. It is crucial to allow the lamp to cool down completely before attempting to replace it. This prevents the risk of burns or damage to the new lamp.

Secure the Lamp Compartment: Once the new lamp is in place, secure the lamp compartment by reattaching any screws or latches that were removed earlier. Ensure that the compartment is sealed properly to prevent any dust or debris from entering.





Guangzhou Crystal Light Electronic Products Co., Ltd.

18565159850

ancy@projectorlamp-replacement.com



projectorlamp-replacement.com

Guangzhou, China